**Corrosion Technologies** 2638 National Drive, Garland, TX 75041

(972) 271-7361 Fax: (972) 278-9721

# BIO SLIDETM **Safety Data Sheet**

## 1. IDENTIFICATION

BIO SLIDE™ Product Name:

**Product Numbers:** 32204, 32205, 32201, 32202, 32201-275, 32201-330

Hydrocarbon-Based Concrete Repellent **Product Type and Use:** 

Issue Date: 8 June 2021 **Revision Date:** 8 June 2021 **Revision Indicator:** NZ1.2

Corrosion Technologies Manufacturer:

2638 National Drive, Garland, TX 75041 Telephone: 972-271-7361 Fax: 972-278-9721

Distributor in New Zealand: Corrosion Control NZ

48 Riverside Drive Whangarei 0112 Northland New Zealand

Tel: +64 9-438-88-00

Email: tom@corrosionx.org **Emergency Telephone:** CHEMTREC® USA (800) 424-9300

Outside US +1 (703) 527-3887 NZ Poison emergency no: 0800 POISON (0800 764 766)

## 2. HAZARDS IDENTIFICATION

**Hazard Classification** 

Health Hazard(s) None

Physical Hazard(s) None

Hazard(s) not otherwise classified

Aspiration Hazard Category 1

Labeling

**DANGER** Signal Word: Pictograms: Heath Hazard



Statements of Hazard **Hazard Statements** 

May be fatal if swallowed and enters airways

**Precautionary Statements** 

Dispose of contents and container in accordance with applicable regulations.

If swallowed: Rinse mouth. Do NOT induce vomiting. Immediately call a doctor or poison center.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Percent by Wt.
Petroleum oil (<3% DMSO extractable)	Trade Secret	90-100*

<sup>\*</sup> Exact percentage of composition has been withheld as a trade secret

#### 4. FIRST AID MEASURES

General Advice: Aspiration hazard; do not swallow. May cause lung damage. Avoid breathing spray mist. Inhalation: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.

Skin Contact: Wipe excess from skin; remove contaminated clothing. Wash with soap and water.

Eye Contact: Flush eyes with plenty of water for 15 minutes while holding eyelids open. Seek medical attention if irritation persists. Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a physician or poison control center.

## 5. FIRE FIGHTING MEASURES

Extinguishing Media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Suitable: Carbon Dioxide, Dry Chemical, and Foam

Unsuitable: Alcohol, Alcohol based solutions, any other media not listed above.

Fire Fighting Procedures: As in any fire, wear self-contained breathing apparatus, pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Unusual Fire and Explosion Hazards: Solvent vapors are heavier than air and may travel to distant, low lying sources of ignition and may ignite and explode

Hazardous Combustion/ Decomposition Products: Oxides of carbon, sulfur, nitrogen and phosphorous; hydrogen sulfide.

# 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions / Protective Equipment / Emergency Procedures: Use caution as spills may be slippery. Ensure adequate ventilation. Use personal protective equipment. Remove all sources of ignition and take precautionary measures against static discharges

Methods and materials for containment and cleaning up: Do not flush into surface water or sanitary sewer system. Dike and contain spillage. Soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite). Use clean non-sparking tools to collect absorbed material and transfer to a properly labeled container for disposal according to applicable regulations

# 7. HANDLING AND STORAGE

HANDI ING

Precautions for Safe Handling: Follow all SDS/label precautions even after container is empty due to residue.

**STORAGE** 

Conditions to avoid: Store in a cool, dry, well-ventilated place in the original container.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**EXPOSURE LIMITS** 

**ACGIH OSHA** Component TLV TLV **PEL PEL STEL** STEL mg/m3 mg/m3 ppm ppm ppm mg/m3 2500 Petroleum oil Not Est. 5 10 5 Not Est.

Engineering Controls: Avoid breathing spray mist. Use with local exhaust ventilation. Ensure adequate ventilation, especially in confined areas.

Personal Protection

**Respiratory Protection:** None required under normal use conditions. In case of insufficient ventilation and for exposures above occupational exposure limits wear a NIOSH approved air purifying respirator with organic vapor cartridge.

Hand / Skin Protection: None typically required. For sensitive skin; wear impermeable gloves such as neoprene or nitrile rubber gloves.

Eye / Face Protection: None typically required.

**General Hygiene Measures:** Always wash hands and face before eating, drinking or smoking. Remove and wash contaminated clothing before re-use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Transparent **Autoignition Temperature:** Not established **Physical State:** Non-viscous liquid Volatile by volume (%): Not established Odor: Hvdrocarbon Vapor Density (Air=1): Color: Amber Evaporation Rate (BuAc=1): <0.01 Viscosity, cSt @ 40°C: <20.5 Vapor Pressure, mmHg @23°C: Not established cSt @ 100°C: Not established Solubility in water: Insoluble Not established pH: Octanol/Water Partition: Not established >400°F / 200°C **Boiling Point/ Range:** VOC Content g/I (%): Not established Melting Point: Flash Point: Not established Specific Gravity @15.6°C: 0.869 >93°C / 200°F **Pour Point:** Not established Method: Pensky-Martens Closed Cup Non-volatile by Volume (%): Not established Lower Explosive Limit, vol %: Not established Not applicable Dielectric Strength (KV): Upper Explosive Limit, vol %: Not established

# 10. STABILITY AND REACTIVITY

Stability: Stable at ambient temperatures.

Conditions to Avoid: Avoid high temperatures, sparks, open flame and all other sources of ignition

Hazardous Polymerization: Will not occur.

Materials to Avoid: Bases, acids, amines and strong oxidizing materials.

# 11. TOXICOLOGICAL INFORMATION

**Acute Toxicity** 

Product Information: Orl-rat LD50 >5000 mg/kg, Skn-Rbt LD50 - 2,000 mg/kg, Ihl-rat LC50 >5 mg/L 4 h

Ingredient Information: Not established

**Acute Effects** 

Signs and Symptoms of Overexposure: Mist may cause coughing or sneezing

Inhalation: May cause coughing and sneezing.

Skin Contact: Prolonged or repeated contact may cause mild irritation in sensitive individuals.

Eye Contact: May cause stinging, tearing and redness.

Ingestion: May cause nausea, vomiting and diarrhea. Ingestion and subsequent vomiting may result in aspiration of the

product into the lungs resulting in chemical pneumonitis, pneumonia and pulmonary edema.

Primary Route(s) of Exposure: Eyes, Inhalation

Primary Route(s) of Entry: Ingestion

Target Organs: Lungs Chronic Effects: None known Carcinogenicity: Not established

Medical Conditions Aggravated by Exposure: May aggravate existing respiratory conditions such as asthma.

# 12. ECOLOGICAL INFORMATION

Product Data: Not established Ingredient Data: Not established Elimination Information: Not established.

## 13. DISPOSAL CONSIDERATIONS

**Product:** Dispose of in accordance with applicable regulations.

**Container:** Empty remaining contents. Empty containers should be taken for local recycling, recovery or waste disposal. Empty containers may contain residues. Do not cut, weld or grind empty containers.

#### 14. TRANSPORT INFORMATION

**Road Transport** 

DOT Hazard Class: Non-Hazardous/ Non-Restricted

Sea Transport

IMDG/GGV See Class: Non-Hazardous/ Non-Restricted

Air Transport

ICAO/IATA Class: Non-Hazardous/ Non-Restricted

# 15. REGULATORY INFORMATION

# **U.S. Federal Regulations**

Toxic Substances Control Act (TSCA): All components are included on the Inventory

Superfund Amendments and Reauthorization Act (SARA) Title III:

Immediate	Delayed	Fire	Pressure	Reactivity
Hazard	Hazard	Hazard	Hazard	Hazard
Yes	No	No	No	No

#### New Zealand

Considered a Hazardous Substance according to the criteria of the New Zealand Hazardous Substances New Organisms legislation.

Not classified as a Dangerous Good according to NZS5433:2007 Transport of Dangerous Goods on Land. HSNO Approval Number: Construction Products (Subsidiary Hazard) Group Standard 2020 – HSR002544 NZIoC (New Zealand Inventory of Chemicals): All components are listed on the NZIoC inventory or are exempt

# **16. OTHER INFORMATION**

Prepared by: U.S. Corrosion Technologies, Technical Services Department

Revision Date: 8 June 2021 Supersedes Date: 13 October 2015

Revision Indicator: NZv1.2

National Fire Protection Association (704)

Health: 1 Flammability: 1 Reactivity: 0 Other:

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results and assume no liability for damage incurred by use of this material. All chemicals may present unknown health hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist. Final determination of suitability of the chemical and application of such products is the sole responsibility of the user. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or any other nature are made hereunder with respect to the information contained herein or the chemical to which the information refers. It is the sole responsibility of the user to comply with all applicable Federal, State and Local Laws and Regulations. Any questions with regards to information contained herein should be referred to: U. S. Corrosion Technologies, (972) 271-7361.