

POWERHOUSE 50

FAST-ACTING CONCRETE and RUST REMOVER

PRODUCT HIT POINTS

- Fast-acting
- Removed up to 3/16" of dried concrete per application
- Concentrated
- No excessive smoke or fumes
- Safe on vehicle paint
- Safe on wiring
- Buffered formula is safe for incidental contact of iron, steel, plastic, rubber and vinyl
- Contains no hydrofluoric or sulfuric acids
- Economical: May be diluted with up to 3 parts water for cost-effective cleaning

DESCRIPTION

Powerhouse 50 is Corrosion Technologies' most popular concrete remover because its multi-component formula strikes a balance between immediate, concentrated cleaning power, economy and being comparatively safe and mild when compared to traditional acid-based concrete removers.

Powerhouse 50 is an acid blend, which gives you the instant bite of a strong acid without excessive smoke or fumes. Safe on iron, steel, plastic, rubber and vinyl, Powerhouse 50 is also effective for the removal of 'bleeding rust' from vehicles and painted equipment.



SUGGESTED APPLICATIONS

- Removing dried concrete behind the ring on concrete ready-mix trucks
- Removal of unwanted concrete residue
- Cleaning of forms, pavers and portable mixers
- Removing scale and efflorescence from porches, retaining walls and bricks
- Removing excess mortar, grout and scale build-up





PROPERTIES

Appearance:	Transparent	Autoignition Temperature:	Not applicable
Physical State:	Non-viscous liquid	Volatile by volume (%):	100
Odor:	Pungent	Vapor Density (Air=1):	>1
Color:	Light Green	Evaporation Rate (BuAc= 1):	<1
Viscosity, cSt @ 40°C:	Not established	Vapor Pressure (mmHg @23°C):	21.1
cSt @ 100°C:	Not established	Solubility in water:	Complete
pH:	<1	Octanol/Water Partition:	Not established
Boiling Point/ Range:	> 275°F / 135°C	VOC Content (g/l) (%):	0 (0)
Melting Point:	> 32°F / 0°C	Specific Gravity @15.6°C:	1.15
Flash Point:	Nonflammable	Pour Point:	Not established
Method:	Not applicable	Non-volatile by Volume (%):	0
Lower Explosive Limit, vol %:	Hydrogen, 4	Dielectric Strength:	Not applicable
Upper Explosive Limit, vol %:	Hydrogen, 75		

PRODUCT CODES

Part Number	UPC Code	Product Description
22705	761866 22705 4	5 gallon
22702	-	30 gallon
22701	-	55 gallon
22701-330	-	330 gallon tote

